

Oxygen & Argon Works Ltd.	Spec.No.G-03.001	
Product Manufacturing Control	Issue: C	Date: 15.01.2009
GAS SPECIFICATION	Sheet 1 of 1	

ARGON - Commercial (Dry) - 99.996%

Typical Impurity Limits:

Oxygen:	≤ 10 ppm
Nitrogen:	≤ 20 ppm
Carbon Dioxide:	≤ 1.0 ppm
Hydrogen:	Not Defined
Moisture:	≤ 10 ppm
T.H.C.	Not Defined

Above specification applies to both Argon Gas and Argon Liquid.

Quality Assurance - According to company QC procedure No. 03.01

Manufacture - According to Company Works' Instructions No. 01.01, 01.02, 02.03.


Packing & Distribution - In high pressure gas cylinders, liquid DEWARS and Cryogenic road tankers according to customers' requirements.

Valve Outlet Thread - According to IS 637 part 3.

[24.5mm NGO, 14 teeth/", Female, Cylindrical, right hand (CGA580)]

Hazardous Materials Codes			
	U.N. No.	Emergency Actions	Hazard Class
GAS	1006	2T	2.2
LIQUID	1951	2T	2.2



Originator : Meir Ben Ishay	Date: 15.01.2009	Signature: 
-----------------------------	------------------	--